



## Bid Notice Abstract

### Request for Quotation (RFQ)

**Reference Number** 7411554  
**Procuring Entity** SANTA ROSA (NE) WATER DISTRICT  
**Title** Supply and Delivery of Chlorine Dioxide, PE Tubing and DPD Chlorine Reagent  
**Area of Delivery** Nueva Ecija

<b>Solicitation Number:</b>	SRWD-GOODS-SVP-03-2021	<b>Status</b>	Active
<b>Trade Agreement:</b>	Implementing Rules and Regulations	<b>Associated Components</b>	1
<b>Procurement Mode:</b>	Shopping	<b>Bid Supplements</b>	0
<b>Classification:</b>	Goods	<b>Document Request List</b>	1
<b>Category:</b>	Chemicals and Chemical Products	<b>Date Published</b>	18/01/2021
<b>Approved Budget for the Contract:</b>	PHP 690,000.00	<b>Last Updated / Time</b>	18/01/2021 00:00 AM
<b>Delivery Period:</b>	7 Day/s	<b>Closing Date / Time</b>	20/01/2021 17:00 PM
<b>Client Agency:</b>			
<b>Contact Person:</b>	Julius Caesar Matadling Badilla Division Manager - B Santa Rosa - Fort Magsaysay Rd. Brgy. Rizal Sta. Rosa Nueva Ecija Philippines 3101 63-44-9400142 63-44-9400142 bac@santarosawater.gov.ph		

#### Description

REPUBLIC OF THE PHILIPPINES  
 Santa Rosa (NE) Water District  
 Santa Rosa – Fort Magsaysay Road, Brgy. Rizal,  
 Santa Rosa, Nueva Ecija

Supply and Delivery of Chlorine Dioxide, PE Tubing and DPD Chlorine Reagent

Item Description	Qty	Unit	U. Cost	Total Cost
1 Chlorine Dioxide	1500 kilos		410.00	615,000.00
2 PE Tubing 4mm x 6mm (100m/roll)	3 rolls		7,500.00	22,500.00
3 DPD Chlorine Reagent	100 pcs/pack	25 packs	2,100.00	52,500.00
<b>TOTAL</b>				<b>689,500.00</b>

List of Requirements to be submitted together with the Quotation:

- License to operate (LTO) from FDA.
- Certificate of Product Registration from FDA.
- Certificate of Distributorship (Authenticated by Philippine Consul/Embassy in the place of origin of product).
- Latest MSDS and COA from manufacturer.
- ISO of the Manufacturing plant (authenticated by Philippine Consul/Embassy in the place of origin of the product).
- Sample packaging of the product. Packaging must indicate the following:
  - Manufacturing and expiration date
  - Batch Number
  - FDA Registration Number
- Product Specification:

- Mono Component Stable White Crystal Powder
- 1 kg. Per pack, vacuum sealed. 10 kg per box.
- Assay 8% minimum
- FDA Registered

**NOTE:**

1. Quoted prices shall be inclusive of applicable taxes and valid for a period of at least thirty (30) days from the date of receipt of quotation & shall be binding upon the supplier within the delivery period.
2. Upon receipt of P.O. delivery of goods must be within seven (7) calendar days.
3. Submitted quotation should be accompanied by business permit, PhilGEPS registration certificate, Quotation with specs and brochure, ISO certification of manufacturer, Certificate of distributorship, Income/Business tax return, SRWD Pre-qualification Certificate, Signed Quotations and DTI business registration.
4. SRWD serves the right to reject any or all submitted quotations.
5. Suppliers need not submit a quotation if they cannot fulfill all the above mentioned conditions.
6. Interested parties may submit their quotation at the following address:

Bids and Awards Committee  
 Santa Rosa (N.E.) Water District Office  
 Santa Rosa – Fort Magsaysay Road  
 Brgy. Rizal, Santa Rosa, Nueva Ecija  
 Tel No. 044 940 0142  
 Email add: bac@santarosawater.gov.ph

**Line Items**

Item No.	Product/Service Name	Description	Quantity	UOM	Budget (PHP)
1	Chlorine Dioxide	Chlorine Dioxide	1,500	Kilo	615,000.00
2	PE Tubing	PE Tubing 4mm x 6mm (100m/roll)	3	Roll	22,500.00
3	DPD Chlorine Reagent	DPD Chlorine Reagent 100 pcs/pack	25	Pack	52,500.00

**Created by** Julius Caesar Matadling Badilla

**Date Created** 14/01/2021

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.